



ICCE Oslo 18-22 June 2017





International Suspect Screening: NORMAN Suspect Exchange meets the



US EPA CompTox Chemistry Dashboard

Emma L. Schymanski¹, Andrew McEachran², Reza Aalizadeh³, Nikolaos S. Thomaidis³, Jaroslav Slobodnik⁴, Jon R. Sobus², Juliane Hollender¹ and Antony J. Williams²


¹Eawag: Swiss Federal Institute for Aquatic Science and Technology, Switzerland ²U.S. Environmental Protection Agency, United States ³National and Kapodistrian University of Athens, Greece ⁴Environmental Institute, Slovak Republic

> Contact: emma.schymanski@eawag.ch

The views expressed in this presentation are those of the authors and do not necessarily reflect the views or policies of the U.S. Environmental Protection Agency.



What is Suspect Screening?




Schymanski et al. 2015, ABC, DOI: 10.1007/s00216-015-8681-7



Suspect and Non-target Screening Across Europe

mar







Collaborative Trial Suspect Screening Lists

19 institutes ...

More data sources and "lists" than participants!



Schymanski *et al.* 2015, ABC, DOI: 10.1007/s00216-015-8681-7

| | State as used du | ring the trial | Current State |
|---|---------------------|---------------------------------------|---------------|
| Database/Library Name | Total Compounds | Compounds | Compounds at |
| | | with Spectra | March 2015 |
| ChemSpider [35] | 32 million | | 32 million |
| DAIOS [49,50] | 1,404 | >1,000ª | 1,404 |
| PubChem [48] | 63,105,228 | | 68,479,719 |
| STOFF-IDENT [38] | 7,864 ^b | | 7,864 |
| MassBank MS/MS [51-53] | | 3,350 | 3,350 |
| mzCloud [54] | | 1,956 | 2,510 |
| NIST EI-MS [11,55] | | 212,961 ^c | 242,477 |
| NIST MS/MS [11,55] | | 4,628 | 8,171 |
| Wiley Registry of Mass Spectral Data (EI-MS) [56] | | 289,000 [12] | 638,000 |
| Agilent Broecker, Herre & Pragst | 8,998 ^c | 3,497 | 8,998 |
| Toxicology/Forensics ^f [57,58] | | | |
| Agilent Pesticide Library LC/Q-TOF MS/MS ^f [59] | 1,664 | ~700 ^c | 1,664 |
| Agilent Pesticide Library GC/Q-TOF EI-MS ^f | 750 | 750 | 750 |
| Agilent METLIN Synthetic Substance Library ^g | 64,092 ^c | ~10,000 ^c | 64,092 |
| Agilent METLIN Scripps Online Database ^{f,g} [60,61] | 83,135 | 12,171 ^c | 240,566 |
| Agilent Veterinary Drug Library ^f | 1,684 | 770 | 1,684 |
| Bruker ToxScreener (incl. Pesticide Screener) ^g [62] | | 704 ^{ad} | 1753 |
| Sciex / AB Sciex LC/MS/MS Meta Library ^g [63] | | 2,381 ^c | 2,381 |
| Thermo Environmental Food Safety (EFS) ^g | | 447 ^p ; 278 ⁿ ; | 732 |
| with retention time (RT) ^g | | 454 ^{dp} ; 90 ^{dn} | |
| Thermo toxicology ^g | | 618 ^p ; 36 ⁿ | 654 |
| Waters database with RT ^g | | 730 ^{de} | 730 |
| In-house Libraries without spectra (two participants) | 2,000; 1,600 [17] | | 2,000; 1,600 |
| In-house Libraries with spectra (two participants) | | 526 ^d ; 63 ^d | 526; 63 |
| In-house Libraries with spectra for some substances | 2,200 ^d | 835 ^{ad} | 2,200 |
| | 7,815 | 1500 ^{ap} ; | 7,815 |
| | | 500 ^{an} | |
| | 3,000 | 350 ^d | 3,000 |
| Surfactant List [3] | 394 | | 394 |





2015: NORMAN Suspect List Exchange was founded

A new member in the NORMAN Database collection...

() www.norman-network.net/?q=node/24

V C Q Search

☆ 自 ♣ 余 💁 😕

NORMAN

Home

Network of reference laboratories, research centres and related organisations for monitoring of emerging environmental substances

| 8 | NORMAN Network | Working Groups | Membership | NORMAN Bulletin | Success Stories | Publications | Job opportunities | Contact C | Gallery |
|---|----------------|----------------|------------|-----------------|-----------------|--------------|-------------------|-----------|---------|
|---|----------------|----------------|------------|-----------------|-----------------|--------------|-------------------|-----------|---------|

| Menu | Home |
|-----------------------|---|
| Emerging Substances | nome |
| > DATABASES | Databases |
| Topics and Activities | NORMAN organises the development and maintenance of two web-based databases for the collection & evaluation of data / information on emerging substances: EMPODAT : a database of geo-referenced monitoring / occurrence data on emerging substances; |
| O User login | NORMAN massbally, a database of mass special of difficient of provisionally definited substances. NORMAN Suspect List Exchange: a central website to access various lists of substances for suspect screening. |
| Username * | These databases are being developed and integrated with the primary aims of: Bringing together existing knowledge on emerging substances and, |
| Password * | Setting up a framework for the systematic collection, elaboration and scientifically sound evaluation of future data. |
| Request new password | NORMAN should become the primary data source and global one-stop-shop for all issues regarding emerging substances, contributing to the creation of the early-warning system for emerging pollutants and subsequent policy actions. The NORMAN Association has a long-term interest in being granted access to data on emerging substances from various research projects and in exploring other areas of possible data sharing in line with the NORMAN Position Paper: Collection, exchange and interpretation of data on emerging substances - <i>Towards a harmonised approach for collection and interpretation of data on emerging substances in support of European environmental policies.</i> |





NORMAN Suspect List Exchange

http://www.norman-network.com/?q=node/236


| | | esearch centres and related erging environmental | | |
|---|--|--|--|--|
| Home NORMAN Network | Working Groups Membe | ership NORMAN Bulletin Success Stories Publications | Job opportunities Contact Gallery NORMAN GA meetings | |
| Menu Emerging Substances DATABASES | Home | Full Lists | InChlKeys | References |
| Topics and Activities Workshops and Events | Name and Description | Link to full list | Link to InChlKey list | References |
| ØA/QC Issues Glossary | Merged NORMAN Suspect List "SusDat" | NORMAN_SusDat_MergedSuspects24052017.xlsx | NORMAN_SusDat_MSready_InChlKeys.txt | This is the merged list of all suspect lists containing structures. See here for an interactive version. Compiled by Reza Aalizadeh, University of Athens, now including RTI and toxicity values. |
| User login | NORMAN Compounds in MassBank | MassBankEU_Compounds_11042017.csv | MassBankEU_Compounds_InChlKeys_11042017.txt | www.massbank.eu Stravs e <i>t al.</i> 2012. DOI: 10.1002/jms.3131 |
| Password * | STOFF-IDENT | STOFF-IDENT_content_ed_17052016.xlsx STOFF-IDENT_Content_28102016.xlsx STOFF-IDENT_Content_28102016.csv | STOFF-IDENT_28102016_InChIKeys | The database enables the search for exact masses from target or unknown lists and the automatic use of a Retention Time Index. See: http://bb-x-stoffident.hswt.de - free access after registration |
| Log in | NORMAN Collaborative Trial Targets and Suspects | Targ_Sus_NT-wID_LC_final_31102016.xlsx Targ_Sus_NT-wID_LC_final_31102016.csv Targ_Sus_NT-wID_GC_final_31102016.xlsx Targ_Sus_NT-wID_GC_final_31102016.csv | Targ_Sus_NT-wID_C Targ_Sus_NT-wIP | Schymanski <i>et al.</i> 2015. DOI: 10.1007/s00216-015-8681-7 |
| - | Uni. Jaume I | Bade_etal_544Compounds_wInChls_31102016.xlsx Bade_etal_544Compounds_wInChls_31102016.csv | Bade_r .chlKeys.txt | Bade <i>et al</i> 2015, Sci. Tot. Environ. 538: 934-941. DOI: 10.1016/j.scitotenv.2015.08.078 |
| | | NormanTargetSuspects_template_KWR.xlsx NormanTargetSuspects-KWR_withStructures.xlsx NormanTargetSuspects-KWR_withStructures.csv | NonWR_InChIKeys.txt | Sjerps <i>et al.</i> 2016 Water Research 93: 254-264. DOI: 10.1016/j.watres.2016.02.034 |
| | Antibiotic List (ITN MSCA ANSWER) | Antibiotics_ITN_MSCA_ANSWER_160616.csv | Antibiotic_1ASCA_ANSWER_InChlKeys_160616.txt | A list of antibiotics compiled by Nikiforos Alygizakis (El/Uni Athens). |
| | Eawag Surfactant | Surfactant_Suspects_Schymanski_etal_2014.xlsx | | Schymanski <i>et al.</i> 2014. |



The Chemical Identity Challenge

Schymanski & Williams, 2017, ES&T DOI: 10.1021/acs.est.7b01908

9000







The CompTox Chemistry Dashboard

https://comptox.epa.gov/dashboard/

Data include: (plus a LOT more ...)

- Experimental and predicted physicochemical properties
- ToxCast bioassay screening data
- Product and functional use information and more



Chemistry Dashboard

Search capabilities include:

- Mass or formula-based searching
- Rank-ordering of results via functional use statistics

| Search a chemical by systematic name, synonym, CAS number, or InChIKey | | | | | |
|--|---|--|--|--|--|
| | Single component search Ignore isotopes | | | | |
| See what people are saying, read the dashboard comments! | | | | | |
| | Need more? Use advanced search. | | | | |
| | 747 Thousand Chemicals | | | | |





The Dashboard in brief – Example PFOS

https://comptox.epa.gov/dashboard/

PFOS

1763-23-1 | DTXSD3031864

Searched by Approved Name: Found 1 result for 'PFOS'.

| Q | <u>lad</u> | • | <u>*</u> - | Q. | | | | | | | | | |
|------|------------|---------------|---------------|--------------------|---------------------|---------------------|---|-----------|----------|--------------|--------------|--------------|-----|
| | E E | | | |] | | Wikipedia | | | | | | |
| | | | | | | | Perfluorooctanesulfonic acid (conjugate base perfluorooct nollutant PEOS was the key ingredient in Scotchgard, a fat | | | | | | |
| | | | Summ | агу | | Download as: | TSV | Excel | xcel SDF | | | | |
| | | LogP: | Octanol-Water | | Property | | | | Me | | | | |
| но | | Water | Solubility | | | | Exp | perimenta | Avera | Predicted | Experimental | | |
| | | Densit | у | | LogP: Octanol-Water | | | - | | 4.44 (4) | - | | |
| | | Melting Point | | | Water Solubility | | - | - | | 2.41e-03 (4) | - | | |
| | | Menning Form | | Density | | - | - | | 1.84 (1) | - | | | |
| | | | | Boiling | Point | | Melting Point | | - | - | | 65.5 (3) | - |
| | | | | Surface Tension | | | Boiling Point | | 14 | 145 (1) | | 237 (3) | 145 |
| | | | | Surfac | e lension | | Surface Tension | | - | - | | 19.6 (1) | - |
| | | | | Vapor I | Pressure | | Vapor Pressure | | - | - | | 7.87e-03 (2) | - |
| | | | | LogKa | a: Octanol-Air | | LogKoa: Octan | ol-Air | - | | | 4.75 (1) | - |
| Cher | mical I | Propert | ties | LUGKU | a. Octanol-All | | Henry's Law | | - | - | | 2.27e-10 (1) | - |
| 1 | | | LL. | Henry's | s Law | | Index of Refrac | tion | - | | | 1.30 (1) | - |
| | | | | Index | of Refraction | | Molar Refractiv | ity | - | | | 51.5 (1) | - |
| | | | maaxt | an condector | | pKa Acidic Apparent | | - | - | | -3.27 (1) | - | |
| | | | | Molar Refractivity | | | Molar Volume | | - | | | 272 (1) | - |
| | | | | рКа Ас | idic Apparent | Ĩ | Polarizability | | - | | | 20.4 (1) | - |

tanesulfonate) (PFOS) is an anthropogenic fluorosurfactant and global bric protector made by 3M and numerous stain repellents. It was added to


| Property | Property Average | | Mee | dian | | Range | Unit |
|---------------------|------------------|--------------|--------------|-----------|--------------|----------------------|-------------|
| | Experimental | Predicted | Experimental | Predicted | Experimental | Predicted | |
| LogP: Octanol-Water | - | 4.44 (4) | - | 4.44 | - | 2.32 to 6.28 | - |
| Water Solubility | - | 2.41e-03 (4) | - | 2.41e-03 | - | 6.25e-09 to 9.12e-03 | mol/L |
| Density | - | 1.84 (1) | - | 1.84 | - | - | g/cm^3 |
| Melting Point | - | 65.5 (3) | - | 65.5 | - | 51.9 to 73.5 | °C |
| Boiling Point | 145 (1) | 237 (3) | 145 | 237 | 145 | 218 to 262 | °C |
| Surface Tension | - | 19.6 (1) | - | 19.6 | - | - | dyn/cm |
| Vapor Pressure | - | 7.87e-03 (2) | - | 7.87e-03 | - | 7.36e-04 to 1.50e-02 | mmHg |
| LogKoa: Octanol-Air | - | 4.75 (1) | - | 4.75 | - | - | - |
| Henry's Law | - | 2.27e-10 (1) | - | 2.27e-10 | - | - | atm-m3/mole |
| Index of Refraction | - | 1.30 (1) | - | 1.30 | - | - | - |
| Molar Refractivity | - | 51.5 (1) | - | 51.5 | - | - | cm^3 |
| pKa Acidic Apparent | - | -3.27 (1) | - | -3.27 | - | - | - |
| Molar Volume | - | 272 (1) | - | 272 | - | - | cm^3 |
| Polarizability | - | 20.4 (1) | - | 20.4 | - | - | Å^3 |





The Dashboard in brief – Example PFOS

https://comptox.epa.gov/dashboard/






The Chemical Identity Challenge

Schymanski & Williams, 2017, ES&T DOI: 10.1021/acs.est.7b01908

9000







Collaboration on Chemical Curation of Lists

| | , | 1 | |
|---|--|--|---|
| Pharmaceutical List with Consumption Data | SwissPharma_TableS2.csv | SwissPharma_TableS2_InChlKeys.txt | Singer et al. 2016. DOI: 10.1021/acs.est.5b03332 |
| Swiss Insecticides, Fungicides and TPs | SwissPesticides_TableS1.csv | SwissPesticides_TableS1_InChlKeys.txt | Moschet <i>et al.</i> 2013. DOI: 10.1021/ac4021598 |
| NormaNEWS for retrospective screening of new emerging contaminants | NormaNEWS_V4_26042017.csv | NormaNEWS_V4_InChIKeys.txt | NormaNEWS list provided by Nikiforos Alygizakis, Saer Samanipour and Kevin Thomas |
| Combined Inventory of Ingredients Employed in Cosmetic Products (2000) and Revised Inventory (2006) | Merged_CosmeticProducts_04052017.csv | Merged_CosmeticProducts_04052017_InChlKeys.txt | The scientific committee on cosmetic products and non-food products Intended for consumers - SCCNFP/0389/00 Final and Commission Decision 2006/257/EC amending the Decision 96/335/EC. Provided by Peter von der Ohe, UBA, curated by Reza Aalizadeh, University of Athens |
| PFAS Highly fluorinated substances list: KEMI | PFAS_Market_KemI_EPA_1Feb2017.xlsx ~2,600 PFAS | Curation in progress: coming soon | Appendix 2 from Swedish Chemicals Agency KEMI Report 7/15 . Provided by Stellan Fischer, KEMI |
| NORMAN Priority List 2015 | NORMAN_PriorityList_2016.csv Further curation in progress | NORMAN_PriorityList_2016_InChlKeys.txt | Priority substances from NORMAN WG-1 (Prioritisation), provided by Valeria Dulio |
| French Monitoring List | French_List_08052017.csv Further curation in progress | FrenchList_UniqueInChIKeys_08052017.txt | Provided by Valeria Dulio, curated by Reza Aalizadeh, University of Athens |
| KEMI Market List | KEMI_MarketList_12052017_MSready.xlsx | KEMI_MarketList_12052017_MSready_InChlKeys.txt | Provided by Stellan Fischer, KEMI including Hazard and Exposure scores, documented here . Curated by Reza Aalizadeh, University of Athens. |
| TSCA Surfactants | Coming soon | | Provided by Lee Ferguson, sourced from James Little |







KEMI PFAS List

| fluori | Highly nated ances list: | ted | | | | Appendix 2 from Swedish Chemicals Agency KEMI Report 7/15. Provided by Stellan Fischer, KEMI | | | | |
|----------------------|--------------------------------|---|----------------|---------------------------|--|--|-----|--------------|-------------|--------------------|
| | | | | | | | | | | |
| CASr | าด | CASnr | ECno | DTXSID | PREFERRED NAME | CASR | N | SMILES | | |
| 422- | 63-9 | 422639 | 207-020-0 | DTXSID9059969 | 1,1-Propanediol, 2,2,3,3,3-pentafluoro | 422-63 | 3-9 | OC(O)C(F)(F |)C(F)(F)F | |
| 375- | 88-2 | 375882 | 206-799-4 | DTXSID9059919 | Heptane, 1-bromo-1,1,2,2,3,3,4,4,5,5, | (375-88 | 8-2 | FC(F)(F)C(F) | (F)C(F)(F)C | C(F)(F)C |
| 375- | 62-2 | 375622 | 206-790-5 | DTXSID9059917 | Pentanoyl fluoride, nonafluoro- | 375-62 | 2-2 | FC(=O)C(F)(F | =)C(F)(F)C(| (F)(F)C(|
| 375- | 16-6 | 375166 | 206-785-8 | DTXSID9059915 | Butanoyl chloride, heptafluoro- | 375-16 | 6-6 | FC(F)(F)C(F) | (F)C(F)(F)C | C(CI)=O |
| 375- | 00-8 | 375008 | 206-781-6 | DTXSID9059913 | Butanenitrile, heptafluoro- | 375-00 | 0-8 | FC(F)(F)C(F) | (F)C(F)(F)C | C#N |
| 356- | 86-5 | 356865 | 206-608-4 | DTXSID9059884 | 2,2,3,3-Pentafluoropropyl acrylate | 356-86 | 6-5 | FC(F)(F)C(F) | (F)COC(=C |)C=C |
| 356- | 27-4 | 356274 | 206-602-1 | DTXSID9059882 | Ethyl heptafluorobutyrate | 356-27 | 7-4 | CCOC(=O)C(| F)(F)C(F)(F | =)C(F)(F |
| 338- | 83-0 | 338830 | 206-420-2 | DTXSID9059834 | 1-Propanamine, 1,1,2,2,3,3,3-heptaflu | 338-83 | 3-0 | FC(F)(F)C(F) | (F)C(F)(F)N | N(C(F)(I |
| 335- | 99-9 | 335999 | 206-406-6 | DTXSID9059832 | 1-Heptanol, 2,2,3,3,4,4,5,5,6,6,7,7-doo | 335-99 | 9-9 | OCC(F)(F)C(I | F)(F)C(F)(F |)C(F)(F |
| 33 35 89 57 | | | | Norman Ne | twork PFAS (KEMI Repor | t) | | | | (F) (F) (F) |
| 76 38 | | | Search S | FISHFLUORO Che | micals | | ۹ | | | |
| 42 73 | List Details | | | | | | | | | C(F) |
| 85 30 89 | and-alternativ current KEMI | es.pdf target='_bla PFAS list includes s | nk'>Appendix 2 | from Swedish Chemicals Ag | tp://www.kemi.se/en/global/rapporter/2015/report-7-15-oc ency Report 7/15 on the occurrence and use of high as provided by Stellan Fisher. | | | | | F)C C(F) F)C |
| + (| Number of C | hemicals: 970 | | | | | | | | |



KEMI PFAS List





....

View Selected

Q

Norman Network PFAS (KEMI)

Search SFISHFLUORO Chemicals

List Details

Description: This list of perfluorinated substances originated from Appendix 2 from Swedish Chemicals Agency Report 7/15 (available at http://www.kemi.se/en/global/rapporter/2015/report-7-15-occurrence-and-use-of-highly-fluorinated-substances-and-alternatives.pdf) on the occurrence and use of highly fluorinated substances and alternatives (2015). The current KEMI PFAS list includes substances beyond the original report and was provided by Stellan Fischer.


Number of Chemicals: 2257

Sort Options

Select/Deselect All Download as: TSV

Excel

SDF





NormaNEWS

DTXSID50865484 DTXSID50865484 10-hydroxycarbazepine 29331-92-8 DTXSID00881093 DTXSID00881093 Desacetyl diltiazem 42399-40-6





(1=

C@

F)(F

F)(F

F)(F))(F) =C(=C(D=C

C=C

| NormaNEWS for retrospective screening of new emerging contaminants | ve of new | | | NormaNEWS_V4_I | nChlKeys.txt | | | | | ovided by Nikif nanipour and ł | |
|--|----------------|---------------|------|----------------|--------------|---------|--------|--------|----------|-----------------------------------|----------|
| INPUT | DTXSID | PREFERRED | NAME | CASEN | | SMII ES | | | | | |
| | DTXSID40881097 | | | NOCAS 881097 | | | | C)C1=(| CC=C(C= | C1)S(O)(=(| O)=O |
| DTXSID30860093 | DTXSID30860093 | 4-(Dodecan-6- | | | 4-(Dodecan) | | • | ' | ` | / 、 /、 | , |
| DTXSID80881096 | DTXSID80881096 | C13-LAS | | NOCAS_881096 | - (| 0000000 | 0)0000 | CC)C | 1=CC=C | (C=C1)S(O |)(=O)=O |
| DTXSID20881095 | DTXSID20881095 | C14-LAS | | NOCAS_881095 | - (| 0000000 | 22222 | (CCC) |)C1=CC=(| C(C=C1)S(| O)(=O)=O |
| DTXSID60881094 | DTXSID60881094 | SPA-8C | | NOCAS 881094 | - (| CCCC(CC | CC(O)= | O)C1= | =CC=C(C | =C1)S(O)(= | =O)=O |

NormaNEWS: Norman Early Warning System

Search NORMANEWS Chemicals

Q

[H][C@]1(SC2=C(C=CC=C2)N(CCN(C)C)C(=O)[C@@H

10-Hydroxy-NC(=O)N1C2=CC=CC=C2CC(O)C2=CC=C12

List Details

D

D

D D

D

D

D D D

D D

D

D

D

D

D

Description: The Norman Early Warning System (NormaNEWS) is a pilot network designed to investigate the spatial and temporal distribution of newly identified contaminants of emerging concern in environmental samples through performing retrospective suspect screening on HRMS data acquired using different instrumental platforms and data processing software. The NormaNEWS pilot study was performed through recruiting eight reference laboratories with available archived HRMS data with the goal of exploring the potential of an early warning network to rapidly establish the occurrence of newly-identified contaminants of emerging concern across Europe and beyond, through the use of retrospective suspect screening employing HRMS. The pilot study was referred to as the Norman Early Warning System, abbreviated to NormaNEWS.

Number of Chemicals: 131



NormaNEWS





Q

y Dashboard | NORMANEWS

NORMANews

Search NORMANEWS Chemicals

List Details

Description: The Norman Early Warning System (NormaNEWS: http://www.norman-network.com/?q=node/244) is a pilot network designed to investigate the spatial and temporal distribution of newly identified contaminants of emerging concern in environmental samples through performing retrospective suspect screening on HRMS data acquired using different instrumental platforms and data processing software. The NormaNEWS pilot study was performed through recruiting eight reference laboratories with available archived HRMS data with the goal of exploring the potential of an early warning network to rapidly establish the occurrence of newly-identified contaminants of emerging concern across Europe and beyond, through the use of retrospective suspect screening employing HRMS. The pilot study was referred to as the Norman Early Warning System, abbreviated to NormaNEWS.

Number of Chemicals: 131








List Functionality in the Dashboard

An overview of all the lists ...



Select List

| List Name | Number of Chemicals | List Description |
|--|-------------------------|--|
| CHEMINV: EPA Chemical Inventory for ToxCast (20170203) | 5231 | CHEMINV is full list of unique DSSTox substances mapped to historical chemical inventory of physical samples registered by EPA's ToxCast Chemical Contractor (Evotec) since launch of ToxCast program in 2007. |
| DNT Screening Library | 1476 | DNTSCREEN is a list of chemicals that is being used in medium- and high-throughput in vitro and zebrafish assays. |
| EPA Toxcast Screening Library | 4736 | TOXCAST includes all EPA-provided chemicals for which screening data have been generated in the ToxCast research program since 2007. |
| Norman Network PFAS (KEMI) | 2257 | Perfluorinated substances from a Swedish Chemicals Agency Report (provided by Stellan Fischer) on the occurrence and use of highly fluorinated substances. |
| NORMANews | 131 | The NORMAN Early Warning System (NormaNEWS) is a collaborative activity run by the NORMAN Network to investigate newly identified contaminants of emerging concern via retrospective screening on HRMS data. |
| Tox21 Screening Library More lists become availa | able with every release | TOX21SL is list of unique substances in Tox21 multi-federal agency screening library, contributed by the EPA, National Toxicology Program (NTP), and National Center for Advances in Translational Science (NCATS). |





The Dashboard in brief – Example PFOS

https://comptox.epa.gov/dashboard/

| | Wikipedia | | | | | | | |
|-------------------|--|---|--|--|--|--|--|--|
| | Intrinsic Properties | | | | | | | |
| | Structural Identifiers | | | | | | | |
| PF | Related Compounds (Beta) | | | | | | | |
| 1763 | Presence in Lists | | | | | | | |
| © S(| DNT Screening Library CHEMINV: EPA Chemical In | nventory for ToxCast (20170203) EPA Toxcast Screening Library Tox21 Screening Library NORMANews | | | | | | |
| e | Norman Network PFAS (KEMI) | t | | | | | | |
| | Record Information | | | | | | | |
| | | or result from the degradation of precussors. PFOS levels that have been detected in wildlife Read more | | | | | | |
| | | Intrinsic Properties | | | | | | |
| | | Structural Identifiers | | | | | | |
| | | Related Compounds (Beta) | | | | | | |
| Presence in Lists | | | | | | | | |
| | | Record Information | | | | | | |

Chemical Properties

Env. Fate/Transport Synonyms







This is only the beginning ... future challenges:

Huge progress in a short time – but much more to follow

Mixture identification and curation





- Progressive curation error detection and removal (early days!)
- Progressive registration of additional substances
 - Contributions of additional lists are welcome!
- Consolidation of the "MS-ready" concept consistency between resources
- Treatment of UVCBs: Unknown or Variable composition, Complex reaction products or Biological materials
 - <u>https://comptox.epa.gov/dashboard/dsstoxdb/results?utf8=√&search=</u> <u>C10-12+chloroalkanes</u>



ENVIRONME

Acknowledgements

...all my co-authors, especially Tony Williams & team at the Dashboard and Reza Aalizadeh (Uni Athens).

ALL partners and contributors to the NORMAN Suspect Exchange

Webmasters: Natalia Glowacka, Lubos Cirka, Ivan Spanik (all EI)

Questions?



Stellan Fischer, KEMI



Kevin Thomas (UQ), Saer Samanipour (NIVA), Nikiforos Alygizakis (EI),



